

TOUGH CONSTRUCTION. IT'S IN OUR DNA. In every corner of the world you'll find a JCB machine. Since our beginnings in 1945, we have always invested heavily in research and development, keeping JCB at the cutting edge of innovation. Today, JCB has some of the finest engineering facilities across the globe, producing a range of over 300 machines and maintains a reputation for unrivalled customer service.

The same innovation to always get the job done better, the same quality to never let you down, the same engineering heritage and expertise that you can trust, can be found in JCB Safety Footwear.



4 | Safety Footwear

- 6 Holton Hiker Honey Nubuck 7 Holton Hiker Brown 8 Holton Hiker Black Nubuck
- 9 Holton Hiker Black | 11 Chelsea Brown | 12 Chelsea Black | 13 Chelsea Tan Nubuck
- 15 Hiker HRO Black | 16 Hiker Construction | 17 Hiker HRO Brown | 18 Oxford | 19 Chukka
- 20 Jogger Black | 21 Jogger White | 22 Supreme Hi Top Black | 23 Supreme Hi Top White
- 24 Glide Black | 25 Glide Sky | 26 Glide Silver Reflect | 27 Glide Aqua | 29 Warrior

22 | Soft Toe Work Boots

- 32 S.W.A.T Desert | 33 S.W.A.T Black | 34 Holton Honey Nubuck | 35 Holton Black
- 37 Chelsea Classic Brown | 38 Chelsea Classic Black | 41 Chelsea Brown Crazy Horse
- 42 Chelsea Black | 43 Chelsea Tan | 45 Legacy Chelsea Black | 46 Legacy Chelsea Brown
- 47 Legacy Half Boot 49 Drift Canvas Sneaker 50 Desert Tan Lace Up
- 51 Desert Brown Lace Up | 52 Desert Tan Slip On | 53 Desert Brown Slip On

54 | Accessories

- 54 Inner Sole, Boot Laces & Heavy Duty Socks
- **55** Merchandise | **56** Inner Sole Construction
- **60** Our Leather | **61** Our Components

58 | Complete Range at a Glance

- 58 Safety Footwear
- 59 Soft Toe Work Boots

63 | JCB World Head Quarters

63 Overview

*Leather is a natural product, therefore, colour & texture may vary from images.

ALL JCB SAFETY FOOTWEAR IS NRCS APPROVED ACCORDING TO SANS 20345: 2014 & CE EN ISO 20345: 2011

HOLTON HIKER HONEY NUBUCK

SB-SRA SB-SRC

HOLTON HIKER BROWN







STYLE CODE: JCBI822 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

GENUINE HONEY NUBUCK LEATHER	COMFORT PADDED ANKLE COLLAR
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	BELLOWED TONGUE TO SEAL OUT DEBRIS
STEEL TOE CAP	SLIP RESISTANT
QUICK RELEASE & HEXAGON EYELETS	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13

STYLE CODE: JCBI855 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

EXTRA THICK SUPERIOR QUALITY FULL GRAIN CRAZY HORSE LEATHER	COMFORT PADDED ANKLE COLLAR
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	BELLOWED TONGUE TO SEAL OUT DEBRIS
STEEL TOE CAP	SLIP RESISTANT
QUICK RELEASE & HEXAGON EYELETS	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13

HOLTON HIKER BLACK NUBUCK

SB-SRA SB-SRC

HOLTON HIKERBLACK







STYLE CODE: JCB1833
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

GENUINE NUBUCK LEATHER	COMFORT PADDED ANKLE COLLAR
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	BELLOWED TONGUE TO SEAL OUT DEBRIS
STEEL TOE CAP	SLIP RESISTANT
QUICK RELEASE & HEXAGON EYELETS	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13

STYLE CODE: JCB1844 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

PREMIUM FULL GRAIN LEATHER	COMFORT PADDED ANKLE COLLAR
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	BELLOWED TONGUE TO SEAL OUT DEBRIS
STEEL TOE CAP	SLIP RESISTANT
QUICK RELEASE & HEXAGON EYELETS	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13



SB-SRC

CHELSEABROWN





STYLE CODE: JCBI877

SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

EXTRA THICK SUPERIOR QUALITY FULL GRAIN CRAZY HORSE LEATHER

ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING

JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU

SLIP RESISTANT

STEEL TOE CAP

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

CHELSEABLACK

SB-SRC

SB-SRA











STYLE CODE: JCBI888

SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

PREMIUM FULL GRAIN LEATHER	ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	SLIP RESISTANT
STEEL TOE CAP	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13

STYLE CODE: JCB1866
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

GENUINE NUBUCK LEATHER	ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	SLIP RESISTANT
STEEL TOE CAP	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13



HIKER HRO BLACK

SB-SRC-HRO



STYLE CODE: JCB1899 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

PREMIUM FULL GRAIN LEATHER	COMFORT PADDED ANKLE COLLAR
JCB ERGONOMIC DNA SOLE: EXCELLENT ABRASION & 300° HEAT RESISTANT PU/RUBBER	BELLOWED TONGUE TO SEAL OUT DEBRIS
COMPOSITE TOE CAP	SLIP RESISTANT
QUICK RELEASE & HEXAGON EYELETS	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13

THE HIKER HRO CONSTRUCTION



HIKER HRO Brown

SB-SRC-HRO



STYLE CODE: JCB1891
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

EXTRA THICK SUPERIOR QUALITY FULL GRAIN CRAZY HORSE LEATHER	COMFORT PADDED ANKLE COLLAR
JCB ERGONOMIC DNA SOLE: EXCELLENT ABRASION & 300° HEAT RESISTANT PU/RUBBER	BELLOWED TONGUE TO SEAL OUT DEBRIS
COMPOSITE TOE CAP	SLIP RESISTANT
QUICK RELEASE & HEXAGON EYELETS	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13

OXFORD SHOE

CHUKKA

SB-SRC SB-SRC



STYLE CODE: JCBI800 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

PREMIUM FULL GRAIN LEATHER	COMFORT PADDED ANKLE COLLAR
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	SLIP RESISTANT
STEEL TOE CAP	ULTRA COMFORT PERFORMANCE INNER SOLE
	AVAILABLE IN SIZES 3-13



STYLE CODE: JCB1818
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

FULL GRAIN BARTON LEATHER	BELLOWED TONGUE TO SEAL OUT DEBRIS
JCB ERGONOMIC DNA SOLE: LIGHT-WEIGHT DUAL DENSITY PU/PU	SLIP RESISTANT
STEEL TOE CAP	REMOVABLE MOULDED INNER SOLE
QUICK RELEASE EXECUTIVE EYELETS	BACK COLLAR REFLECTOR FOR INCREASED VISIBILITY
COMFORT PADDED ANKLE COLLAR	AVAILABLE IN SIZES 3-13

JOGGERBLACK

SB-SRA SB-SRA





STYLE CODE: JCB1819
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

CUT RESISTANT FLY KNIT MESH UPPER	SLIP RESISTANT
ULTRA-LIGHT EVA/RUBBER OUTSOLE FOR MAXIMUM RESPONSIVE CUSHIONING & SUPERIOR COMFORT	ULTRA COMFORT PERFORMANCE INNER SOLE
STEEL TOE CAP	AVAILABLE IN SIZES 3-13



STYLE CODE: JCBI8II
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

CUT RESISTANT FLY KNIT MESH UPPER	SLIP RESISTANT
ULTRA-LIGHT EYA/RUBBER OUTSOLE FOR MAXIMUM RESPONSIVE CUSHIONING & SUPERIOR COMFORT	ULTRA COMFORT PERFORMANCE INNER SOLE
STEEL TOE CAP	AVAILABLE IN SIZES 3-13

SUPREME HI TOP

BLACK

SIP-SRC-ESD

SIP-SRC-ESD

SUPREME HI TOP



STYLE CODE: JCBI851 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

BLACK SANDWICH MESH KNIT MESH WITH KPU	KEYLAR MIDSOLE FOR ANTI PENETRATION
LIGHT-WEIGHT EVA/RUBBER OUTSOLE FOR SUPERIOR COMFORT	REMOVABLE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	AVAILABLE IN SIZES 3-13
ESD - ELECTROSTATIC DISCHARGE	

STYLE CODE: JCBI850 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

BLACK SANDWICH MESH KNIT MESH WITH KPU	KEYLAR MIDSOLE FOR ANTI PENETRATION
LIGHT-WEIGHT EVA/RUBBER OUTSOLE FOR SUPERIOR COMFORT	REMOVABLE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	AVAILABLE IN SIZES 3-13
ESD - ELECTROSTATIC DISCHARGE	



SIP-SRC-ESD

SIP-SRC-ESD





STYLE CODE: JCB1815
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEVLAR MIDSOLE FOR ANTI PENETRATION
LIGHT-WEIGHT FLEX FOAM DUAL DENSITY PU/PU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	AVAILABLE IN SIZES 4-13
ESD - ELECTROSTATIC DISCHARGE	



STYLE CODE: JCB1835
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEVLAR MIDSOLE FOR ANTI PENETRATION
LIGHT-WEIGHT FLEX FOAM DUAL DENSITY PU/PU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	BLUE STRIPE FOR AESTHETIC DESIGN
ESD - ELECTROSTATIC DISCHARGE	AVAILABLE IN SIZES 4-13

GLIDE SILVER REFLECT

SIP-SRC-ESD

SIP-SRC-ESD





STYLE CODE: JCB1825
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

BLACK RIP TEK TEXTILE FABRIC	KEYLAR MIDSOLE FOR ANTI PENETRATION
LIGHT-WEIGHT FLEX FOAM DUAL DENSITY PU/PU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	SILVER REFLECTIVE STRIPES FOR INCREASED VISIBILITY
ESD - ELECTROSTATIC DISCHARGE	AVAILABLE IN SIZES 4-13



STYLE CODE: JCB1845
SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

RIP TEK TEXTILE FABRIC	KEVLAR MIDSOLE FOR ANTI PENETRATION
LIGHT-WEIGHT FLEX FOAM DUAL DENSITY PU/PU SOLE FOR SUPERIOR COMFORT	LYCRA GLIDE COMFORT INNER SOLE
METAL-FREE WITH CARBON TOE CAP	FEMININE STYLING
ESD - ELECTROSTATIC DISCHARGE	AVAILABLE IN SIZES 3-12



for increased impact resistance

UNIQUE JCB DEFLECT META-GUARD

FOUR CHANNEL FORMATION

FOR INCREASED IMPACT RESISTANCE

SILICONE CHANNEL

FOR INCREASED REBOUND

STEEL TOE CAP PROTECTION

SPECIALIZED CLEATS

with enhanced water and mud dispersion

for penetration resistance

STEEL MIDSOLE

HEAVY DUTY SOLE

for longer lasting durability

STYLE NAME:STYLE CODE:PRODUCT CLASSIFICATION:WARRIORJCB1820S5 | SRA

WARRIOR

S5-SRA



STYLE CODE: JCB1820 SANS 20345: 2014 & CE EN ISO 20345: 2011 APPROVED

STEEL MIDSOLE FOR PENETRATION RESISTANCE	heavy duty sole for longer lasting durability
UNIQUE JCB DEFLECT META-GUARD FOUR CHANNEL FORMATION FOR INCREASED IMPACT RESISTANCE	SPECIALIZED CLEATS WITH ENHNCED WATER AND MUD DISPERSION
SILICONE CHANNEL FOR INCREASED REBOUND	AVAILABLE IN SIZES 6-13

29



SOFT TOE WORK BOOTS

Rugged work boots that work as hard as you do.
Built tough for everyday comfort.

S.W.A.T DESERT

NON-STEEL TOE CAP

NON-STEEL TOE CAP





STYLE CODE: JCB8811 **PRODUCT SPECIFICATIONS:**

PREMIUM UALITY SUEDE WITH OXFORD MESH	SIZE SIP AND VELCRO FOR QUICK WEAR
EVA RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR	BELLOWED TONGUE TO SEAL OUT DEBRIS
QUICK RELEASE & ROUND EYELETS	SLIP RESISTANT
COMFORT PADDED ANKLE COLLAR	REMOVABLE COMFORT INNER SOLE
	AVAILABLE IN SIZES 5-13



STYLE CODE: JCB8812 PRODUCT SPECIFICATIONS:

PREMIUM FULL GRAIN LEATHER WITH OXFORD MESH	SIZE SIP AND VELCRO FOR QUICK WEAR
EVA RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR	BELLOWED TONGUE TO SEAL OUT DEBRIS
QUICK RELEASE & ROUND EYELETS	SLIP RESISTANT
COMFORT PADDED ANKLE COLLAR	REMOVABLE COMFORT INNER SOLE
	AVAII ARI F IN SI7FS 5-13

HOLTON HONEY NUBUCK

NON-STEEL TOE CAP NON-STEEL TOE CAP











SOFT TOE

STYLE CODE: JCB8800
PRODUCT SPECIFICATIONS:

SOFT TOE

GENUINE HONEY NUBUCK LEATHER

RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR

ULTRA-LIGHT EVA SOLE FOR MAXIMUM CUSHIONING & COMFORT

BELLOWED TONGUE TO SEAL OUT DEBRIS

QUICK RELEASE & HEXAGON EYELETS

SLIP RESISTANT

COMFORT PADDED ANKLE COLLAR

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

STYLE CODE: JCB8801
PRODUCT SPECIFICATIONS:

PREMIUM FULL GRAIN LEATHER

ULTRA-LIGHT EVA SOLE FOR MAXIMUM CUSHIONING & COMFORT

BELLOWED TONGUE TO SEAL OUT DEBRIS

QUICK RELEASE & HEXAGON EYELETS

SLIP RESISTANT

COMFORT PADDED ANKLE COLLAR

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

| JCB



CHELSEA CLASSIC BROWN

NON-STEEL TOE CAP



STYLE CODE: JCB8850
PRODUCT SPECIFICATIONS:

SOFT TOE

PREMIUM FULL GRAIN LEATHER	ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
EVA RUBBER SOLE FOR TRACTION & LONG-LASTING WEAR	REMOVABLE COMFORT INNER SOLE
IIII INED FOR INSTANT COMFORT & DIIRARII ITY	AVAII ARI F IN SI7FS 6-12

NON-STEEL TOE CAP

CHELSEA CLASSIC BLACK



STYLE CODE: JCB8850 PRODUCT SPECIFICATIONS:

SOFT TOE

PREMIUM FULL GRAIN LEATHER	ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
EVA RUBBER SOLE FOR TRACTION & LONG-LASTING WEAR	REMOVABLE COMFORT INNER SOLE
UNLINED FOR INSTANT COMFORT & DURABILITY	AVAILABLE IN SIZES 6-12





CHELSEA BROWN CRAZY HORSE

NON-STEEL TOE CAP



STYLE CODE: JCB8899
PRODUCT SPECIFICATIONS:

EXTRA THICK SUPERIOR QUALITY
FULL GRAIN CRAZY HORSE LEATHER

UNLINED FOR INSTANT COMFORT & DURABILITY

ULTRA-LIGHT EVA SOLE FOR MAXIMUM CUSHIONING & COMFORT

SOFT TOE

RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR

ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

CHELSEABLACK

NON-STEEL TOE CAP NON-STEEL TOE CAP











STYLE CODE: JCB8866
PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS:

NATURALLY SOFT EXTRA THICK PREMIUM
QUALITY FULL GRAIN LEATHER

UNLINED FOR INSTANT COMFORT & DURABILITY

ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING

ULTRA-LIGHT EVA SOLE FOR MAXIMUM CUSHIONING & COMFORT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES 3-13

STYLE CODE: JCB8877
PRODUCT SPECIFICATIONS:

GENUINE NUBUCK LEATHER

RUBBER OUTSOLE FOR TRACTION & LONG-LASTING WEAR

UNLINED FOR INSTANT COMFORT & DURABILITY

ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING

ULTRA-LIGHT EVA SOLE FOR MAXIMUM CUSHIONING & COMFORT

ULTRA COMFORT PERFORMANCE INNER SOLE

AVAILABLE IN SIZES3-13

42 | JCB



LEGACY CHELSEABLACK

NON-STEEL TOE CAP



STYLE CODE: JCB8890 PRODUCT SPECIFICATIONS:

SOFT TOE

RUGGED FULL GRAIN LEATHER	ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
DURABLE ULTRA GRIP RUBBER SOLE	HEXAGON EYELETS

NON-STEEL TOE CAP REMOVABLE COMFORT INNER SOLE

AVAILABLE IN SIZES 3-13

LEGACY CHELSEABROWN

NON-STEEL TOE CAP NON-STEEL TOE CAP









STYLE CODE: JCB8889
PRODUCT SPECIFICATIONS:

NON-STEEL TOE CAP

RUGGED FULL GRAIN LEATHER

DURABLE ULTRA GRIP RUBBER SOLE

ELASTICATED SIDE PANEL & PULL TABS FOR EASY DONNING & DOFFING
HEXAGON EYELETS

AVAILABLE IN SIZES 3-13

REMOVABLE COMFORT INNER SOLE

SOFT TOE

STYLE CODE: JCB8888
PRODUCT SPECIFICATIONS:

SOFT TOE

RUGGED FULL GRAIN LEATHER	HEXAGON EYELETS			
DURABLE ULTRA GRIP RUBBER SOLE	REMOVABLE COMFORT INNER SOLE			
NON-STEEL TOE CAP	AVAILABLE IN SIZES 3-13			

46 JCB 47



DRIFTBLACK CANVAS SNEAKER

NON-STEEL TOE CAP



STYLE CODE: JCB8860
DECIDICT SPECIFICATIONS.

		-		
	o			

LIGHTWEIGHT CANVAS FOR FLEXIBLE COMFORT	REMOVABLE COMFORT INNER SOLE
RUBBER OUTSOLE FOR MAXIMUM COMFORT	AUTHENTIC JCB SINCE 1945 HEEL LABEL
RUBBER TOE BUMPER	AVAILABLE IN SIZES 3-12

49

DESERTTAN LACE UP

NON-STEEL TOE CAP NON-STEEL TOE CAP





STYLE CODE: JCB8822
PRODUCT SPECIFICATIONS:

SOFT TOE

BREATHABLE WATER RESISTANT LEATHER UPPER	REMOVABLE COMFORT INNER SOLE				
SELF MOULDING FLEXIBLE SOFT RAW-HIDE	AVAILABLE IN SIZES 3-13				

STITCHED SOLE



STYLE CODE: JCB8844
PRODUCT SPECIFICATIONS:

SOFT TOE

BREATHABLE WATER RESISTANT LEATHER UPPER	REMOVABLE COMFORT INNER SOLE
SELF MOULDING FLEXIBLE SOFT RAW-HIDE	AVAILABLE IN SIZES 3-13

STITCHED SOLE

50 | JCB | 51

DESERTTAN SLIP ON

NON-STEEL TOE CAP NON-STEEL TOE CAP

DESERTBROWN SLIP ON





STYLE CODE: JCB8833

STITCHED SOLE	AVAILABLE IN SIZES 3-13
SELF MOULDING FLEXIBLE SOFT RAW-HIDE	REMOVABLE COMFORT INNER SOLE
BREATHABLE WATER RESISTANT LEATHER UPPER	ELASTICATED SIDE PANEL & PULL TAB FOR EASY DONNING & DOFFING
PRODUCT SPECIFICATIONS:	20F1 10F

STYLE CODE: JCB8855
PRODUCT SPECIFICATIONS:

PRODUCT STECTIONS.	3011101
BREATHABLE WATER RESISTANT LEATHER UPPER	ELASTICATED SIDE PANEL & PULL TAB FOR EASY DONNING & DOFFING
SELF MOULDING FLEXIBLE SOFT RAW-HIDE	REMOVABLE COMFORT INNER SOLE
STITCHED SOLE	AVAILABLE IN SIZES 3-13

52 | JCB | 53

ACCESSORIES

MERCHANDISE



HIGH PERFORMANCE INNER SOLE



SAFETY BOOT LACES



WORK SOCKS
HEAVY DUTY

SUPERIOR WORK SOCKS QUALITY COTTON BLEND

CASUAL DRESS SOCKS
QUALITY COTTON BLEND




SINGLE FOOTWEAR DISPLAY STAND



MULTIPLE FOOTWEAR

DISPLAY STAND

HIGH PERFORMANCE INNER SOLE



SHOE SIZE CONVERSION GUIDE

UK	3	4	5	6	7	8	9	10	П	12	13
EUR	36	37	38	39	40	42	43	44	46	47	48





JCB FOOTWEAR RANGE AT A GLANCE

SAFETY FOOTWEAR

SOFT TOE WORK BOOTS















CHELSEA



CHELSEA







OXFORD



JOGGER



SUPREME HI TOP
































CHELSEA





OUR LEATHER

Below are some examples of the finest leather selected to craft your new pair of JCB Premium Safety Footwear:

FULL GRAIN LEATHER:

THE HIGHEST QUALITY LEATHER, FULLY RETAINING THE NATURAL OUTER GRAIN. TREATED TO ENSURE A DURABLE YET SOFT AND FLEXIBLE FINISH WHILE OFFERING A WATER-REPELLENT FUNCTION.



NUBUCK:

THE OUTERMOST SECTION OF THE CATTLE'S COAT, THAT AFTER A SPECIFIC TANNING PROCESS, BECOMES SLIGHTLY SMOOTH PROVIDING A CHAMOIS FINISH.



BARTON LEATHER:

GENUINE LEATHER, WHICH IS SUBJECTED TO DIFFERENT PROCESSING PHASES THAT HELP TO ACHIEVE A FLAWLESS OUTER LAYER FINISH WHICH PROVIDES ADDITIONAL PROTECTION AND WATER-RESISTANCE TO THE LEATHER.



CRAZY HORSE LEATHER:

NATURAL LEATHER TREATED WITH A UNIQUE TANNING PROCESS THAT CREATES A RICH PROTECTIVE COAT ON THE SURFACE.



SUEDE LEATHER:

THE MOST INTERNAL PART OF THE LEATHER RECOGNIZABLE BY ITS SOFTNESS.



ALL THE LEATHER SELECTED TO MANUFACTURE JCB SAFETY FOOTWEAR IS TESTED BY INTERNATIONALLY RECOGNISED LABORATORIES

Follow our tips to care for your JCB footwear: www.jcbsafetyfootwear.co.za

OUR COMPONENTS

Ensure the footwear you choose includes the technical components required for your environment.

STEEL TOE CAP:

CE EN ISO APPROVED ANTI-RUST STEEL TOE CAP TESTED TO WITHSTAND IMPACTS WITH A FORCE OF UP TO 200 JOULES AND COMPRESSION OF UP TO 1,500 KG.



COMPOSITE TOE CAP:

LIGHT IN WEIGHT AND METAL-FREE, THIS PROTECTIVE TOE CAP IS MADE OF A COMPOSITE MATERIAL STILL OFFERING 200 JOULES OF IMPACT RESISTANCE.



PUNCTURE RESISTANCE STEEL-PLATE:

CE EN ISO APPROVED ANTI-RUST STEEL INSOLE THAT PROTECTS THE FOOT FROM PENETRATIONS OF SHARP OBJECTS THROUGH THE SOLE OF THE SHOE; TESTED TO WITHSTAND A PENETRATION FORCE OF UP TO 1,100 NEWTON.



PUNCTURE RESISTANCE NON STEEL-PLATE:

MADE OF KEVLAR MULTILAYER POLYESTER FABRIC, WHICH IS LIGHTER THAN THE STEEL PLATE, BUT STILL ENSURES THE SAME RESISTANCE TO PENETRATION OF ELEMENTS THROUGH THE SOLE.



BREATHABLE INNER MESH:

A WEAR-RESISTANT FABRIC EQUIPPED WITH MICRO-FIBER TECHNOLOGY THAT PROVIDES THE INNER LINING WITH THE HIGHEST TRANSPIRATION, BREATH-ABILITY AND ANTI-BACTERIAL FUNCTIONALITY.



HIGH PERFORMANCE INNER SOLE:

CONSTRUCTED WITH ADVANCED MEMORY FOAM FOR COMFORT AND FINISHED WITH ANTI-FUNGAL LINING, THE BIOMECHANICAL MOULDED PROFILE PROVIDES RELIEF AND SUPPORT IN EVERY STEP REDUCING FATIGUE AND INCREASING THE WELLNESS OF FEET, KNEES AND BACK.





CLASSICALLY CRAFTED

Since 1945, JCB has always looked for better ways to keep at the cutting edge of innovation. Today, JCB has some of the finest engineering facilities across the globe, producing a range of over 300 machines designed and built using the finest materials to perform safely in the toughest conditions. Building the best is in our DNA and the same engineering heritage, innovative design, quality and attention to detail can be found in our latest range of JCB SAFETY FOOTWEAR.



