



BUILT FOR WORK THAT MATTERS.

www.kaliberfootwear.co.za

CONTACT US

T 011 440 9700

E sales@kaliberfootwear.co.za

www.kaliberfootwear.co.za

27 Thora Crescent, Wynberg
Johannesburg, 2090



SECURITY FOOTWEAR



SAFETY FOOTWEAR



AGRICULTURAL FOOTWEAR

TRUSTED DISTRIBUTORS SINCE 2014

We don't just manufacture work shoes;
we manufacture tried and trusted footwear
that keeps our protectors, builders, creators,
constructors, growers, labourers, dreamers,
schemers, never-give-uppers, and work-
through-the-nighters doing.

**We're here for people that do the
hard jobs, the big jobs, the dirty jobs,
the scary jobs.**

Work that matters.

KALIBER[®]



INTRODUCTION

Kaliber is split in 3 categories for the protectors (security footwear), the creators (safety footwear), and the growers (agricultural footwear).

01

YOUR TRUSTED PARTNER

There's no compromise on safety when doing work that matters. Step into comfort and safety with Kaliber!

02

SECURITY FOOTWEAR

When protectors need protection, the choice is Kaliber! View our wide range of security footwear.

04

SAFETY FOOTWEAR

When you're a creator, a labourer who labours on any ground, you need safe footing. View our wide range of safety footwear.

10

AGRICULTURAL FOOTWEAR


Keeping you protected from farm to field.

18



The Protectors

Secure footwear is your line of defence. Keeping you protected so that you can protect. **Built for work that matters.**



The Creators

Safe footing. On any ground. Choose safety shoes you can count on... **Built for work that matters.**



The Growers

Keeping you safe to cover more ground. Farm-friendly protective footwear. **Built for work that matters.**

YOUR TRUSTED PARTNER

At Kaliber, we manufacture safety & security footwear that protects workers across various industries. Our expansive role as a distributor allows us to offer our top-quality products at exceptionally competitive rates.

There's no compromise on safety when doing work that matters. Step into comfort and safety with Kaliber!

www.kaliberfootwear.co.za

KALIBER[®]





SECURITY FOOTWEAR

When protectors need protection, the choice is Kaliber!

The range that keeps you secure to serve & protect because there's work that matters to do.

Security footwear that gives you peace of mind – that's Kaliber! Giving you the freedom to make a secure choice. Keeping you protected to do work that matters.



Guardian Black

PRODUCT DESCRIPTION Classic Combat Security Boot

PRODUCT CODE SFT007-1201

INDUSTRY Security & Tactical

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: Dual Density PU / PU Sole
 (Heat-resistant up to 95°C)

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: N/A

MATERIALS

UPPER: High Quality Full Grain Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: NSTC
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Guardian Brown

PRODUCT DESCRIPTION Classic Combat Security Boot

PRODUCT CODE FT007-1211

INDUSTRY Security & Tactical

INFORMATION

COLOUR: Brown
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: Dual Density PU / PU Sole
 (Heat-resistant up to 95°C)

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: N/A

MATERIALS

UPPER: High Quality Full Grain Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: NSTC
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Kronos

PRODUCT DESCRIPTION Safety Security Boot

PRODUCT CODE SFT007-1011

INDUSTRY Mining, Chemical and Petrochemical, Security and Tactical

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 Classification: SB - Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0126

MATERIALS

UPPER: High Quality Barton Print Split Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Reaction

PRODUCT DESCRIPTION Combat Safety Security Boot

PRODUCT CODE SFT007-1004

INDUSTRY Mining, Chemical and Petrochemical, Security and Tactical

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: SB - Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0100

MATERIALS

UPPER: High Quality Smooth Buffalo Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Nickel Free D-rings & Round Metal
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: SIP - Steel Midsole Anti-Penetration
OTHER: N/A





Patriot Black

PRODUCT DESCRIPTION Classic Security Boot with Side Zip

PRODUCT CODE SFT007-1113

INDUSTRY Security & Tactical

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: Dual Density PU / PU Sole (Heat-resistant up to 95°C)

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: N/A

MATERIALS

UPPER: High Quality Smooth Buffalo Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: NSTC
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Sentry

PRODUCT DESCRIPTION Affordable Security Boot

PRODUCT CODE SFT007-1012

INDUSTRY Security & Tactical

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: NSTC, Polyester Upper, PU Injected Moulded Sole

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: N/A

MATERIALS

UPPER: Polyester
SOLE: Single Density PU Sole
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: NSTC
INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Tactical

PRODUCT DESCRIPTION Classic Combat Security Boot

PRODUCT CODE SFT007-3020

INDUSTRY Security & Tactical

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: The EVA midsole adds extra comfort and energy absorption. The carbon rubber outsole provides grip & durability

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: N/A

MATERIALS

UPPER: High Quality Full Grain Leather
SOLE: EVA and Rubber
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: NSTC
INSOLE: Compression Moulded EVA Insole

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



SAFETY FOOTWEAR

Safe footing. On any ground.

On the ground is where jobs get done... The ground may be ten storeys up and doesn't have a roof, or it may have crates piled high to the roof.

This ground may be under a desk until lunchtime, then under rubble by afternoon teatime. Maybe this ground is under graders, diggers, pallet trucks, fabricators, boilers, scales... or just hammers and nails.

It doesn't matter because this is how jobs get done. And sometimes there are hazards – some big, some small. And when you're a creator, a labourer who labours on any ground, you need safe footing.



Hawk

PRODUCT DESCRIPTION Heavy Duty Safety Boot

PRODUCT CODE SFT007-1212

INDUSTRY Agriculture, Chemical and Petrochemical, Construction, General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: S1 – Anti-static, Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0322

MATERIALS

UPPER: High Quality Full Grain Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Nickel Free D-rings
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip





Celeste

PRODUCT DESCRIPTION Light Industrial | Warehouse | Ladies Lace Up Safety Shoe

PRODUCT CODE SFT010-1002

INDUSTRY Construction, General Applications, Mining, Transport

INFORMATION

COLOUR: Black
SIZE RANGE: 2-9
ISO 20345 CLASSIFICATION: SB – Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0069

MATERIALS

UPPER: High Quality Smooth Split Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Condor

PRODUCT DESCRIPTION General Purpose Safety Shoe

PRODUCT CODE SFT007-1002

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: SIP – Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel and Oil, Anti-Penetration

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0017

MATERIALS

UPPER: High Quality Barton Print Split Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Nickel Free D-rings
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip
MIDSOLE: SIP - Steel Midsole Anti-Penetration
OTHER: N/A



Chelsea Black

PRODUCT DESCRIPTION Safety Boot with Anti-penetration

PRODUCT CODE SFT007-1008

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: SIP – Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel and Oil, Anti-penetration

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0095

MATERIALS

UPPER: High Quality Smooth Buffalo Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Slip-on
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

MIDSOLE: SIP - Steel Midsole Anti-penetration



Chelsea Brown

PRODUCT DESCRIPTION Safety Boot with Anti-penetration

PRODUCT CODE SFT007-1006

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Brown
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: SIP – Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel and Oil, Anti-penetration

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0095

MATERIALS

UPPER: High Quality Full Grain Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Slip-on
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

MIDSOLE: SIP - Steel Midsole Anti-penetration





Hammer Black

PRODUCT DESCRIPTION Work Boot with Supreme Comfort

PRODUCT CODE SFT007-3021

INDUSTRY Metal Free Safety Boot, Engineering, Hospitality, Agriculture, Mining, Construction

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: S1 – Anti-static, Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION: SRC
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0471

MATERIALS

UPPER: Oily Full Grain Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Slip-On
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200J Composite Non-Metallic
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Thermoplastic Polyurethane (TPU) Toe Bumper for Added Scuff Protection



Hammer Brown

PRODUCT DESCRIPTION Work Boot with Supreme Comfort

PRODUCT CODE SFT007-3020

INDUSTRY Metal Free Safety Boot, Engineering, Hospitality, Agriculture, Mining, Construction

INFORMATION

COLOUR: Brown
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: S1 – Anti-static, Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION: SRC
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0471

MATERIALS

UPPER: Oily Full Grain Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Slip-On
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200J Composite Non-Metallic
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Thermoplastic Polyurethane (TPU) Toe Bumper for Added Scuff Protection



Volcano

PRODUCT DESCRIPTION Heavy Duty / Heat Resistant Safety Boot

PRODUCT CODE SFT007-1105

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: S2 – Anti-static, Energy Absorption of Seat Region, Resistance to Fuel and Oil with Water Resistant Coating

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0157

MATERIALS

UPPER: High Quality Full Grain Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Nickel Free D-rings
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip
MIDSOLE: PU / Rubber Sole Heat Resistant to 300 Degrees



Velocity

PRODUCT DESCRIPTION Light Industrial | Warehouse | Drivers

PRODUCT CODE SFT007-1104

INDUSTRY Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: S1 – Anti-static, Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0131

MATERIALS

UPPER: KPU Mesh
SOLE: Dual Density Polyurethane (PU)
EYELETS: Round KPU Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A





Jackal Boot

PRODUCT DESCRIPTION Light Industrial/Affordable Safety Boot

PRODUCT CODE SFT007-1007

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: SB – Energy Absorption of Seat Region, Resistance to Fuel & Oil

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0054

MATERIALS

UPPER: High Quality Barton Print Split Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Nickel Free D-Rings
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Jackal Shoe

PRODUCT DESCRIPTION Light Industrial/Affordable Safety Shoe

PRODUCT CODE SFT007-1009

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 2-13
ISO 20345 CLASSIFICATION: SB – Energy Absorption of Seat Region, Resistance to Fuel & Oil

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0029

MATERIALS

UPPER: High Quality Barton Print Split Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Round Metal Eyelets
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A
MIDSOLE: N/A
OTHER: N/A



Raptor Ex

PRODUCT DESCRIPTION Mining, Construction, General Safety

PRODUCT CODE SFT007-1001

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 3-13
ISO 20345 CLASSIFICATION: SIP – Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel and Oil, Anti-Penetration

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0011

MATERIALS

UPPER: High Quality Smooth Split Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Nickel Free D-rings
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip
MIDSOLE: SIP - Steel Midsole Anti-Penetration



Raptor

PRODUCT DESCRIPTION Mining, Construction, General Safety

PRODUCT CODE SFT007-1001

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black
SIZE RANGE: 2-16
ISO 20345 CLASSIFICATION: SIP – Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel and Oil, Anti-Penetration

SLIP RESISTANCE CLASSIFICATION: SRA
CONSTRUCTION: Injection Moulded Process
NRCS APPROVAL: NRCS/9002/288040/0011

MATERIALS

UPPER: High Quality Smooth Split Leather
SOLE: Dual Density Polyurethane (PU)
EYELETS: Nickel Free D-rings
LINING: Black Polyester Mesh & Microfiber
TOE CAP: 200 Joules Steel Toe Cap
INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip
MIDSOLE: SIP - Steel Midsole Anti-Penetration



AGRICULTURAL FOOTWEAR



Boots built for covering more ground!

Kaliber, keeping you protected from farm to field. Step into safety because there's work to be done.

In the field protection, that covers all ground. Footwear that protects from farm to field - built for work that matters!



Ripsaw

PRODUCT DESCRIPTION Classic Non Steel Toe Cap

PRODUCT CODE SFT007-3010

INDUSTRY Especially suited to Hospitality-type applications, Outdoor applications like Farming, Light Industrial Applications but most particularly to someone who is on their feet all day. Work Boots or Dress Boots.

INFORMATION

COLOUR: Brown
 SIZE RANGE: 5-13
 ISO 20345 CLASSIFICATION: Conforms
 SLIP RESISTANCE CLASSIFICATION: SRC
 CONSTRUCTION: Injection Moulded Process
 NRCS APPROVAL: N/A

MATERIALS

UPPER: Oily Full Grain Leather
 SOLE: Dual Density Polyurethane (PU)
 EYELETS: Slip-On
 LINING: Black Polyester Mesh and Microfiber
 TOE CAP: NSTC
 INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Thermoplastic Polyurethane (TPU)
 Toe Bumper for added Scuff Protection

