

Dromex



MIG-F6 GLOVES



DG-MIG-F6

Description

Dromex® MIG-F6, are high performance, CUT level F, multifunctional mechanical gloves that is designed to protect the hands against extreme cut, abrasion, tear and impact hazards, all whilst providing a balance of dexterity and comfort.

Apart from mechanical protection they are touchscreen compatible, enabling you to have full tactile control of the touchscreen on smartphones and other similar devices.

The double dipped Nitrile micro foam coated palm is breathable and provides superior grip and high impact absorption ideal for oily, wet and dirty working conditions.


These gloves features a high visibility TPR (Thermo Plastic Rubber) impact protection layer on the back of the hand and fingers that helps with visibility in dark areas and an adjustable hook and loop closure on wrist for a comfortable and secure fit.

The soft dual density TPR ribs on the back of the hands and fingers run all the way to the fingertips and to the end of the thumb, along with padded palms, and a reinforced thumb crotch, absorbs the energy from a blow and directs it along the length of the glove, reducing the risk of serious injury.

These gloves are designed to address and reduce the three biggest hand injuries hazards of hairline fractures, bruising blows and pinched fingers.

They are suitable for use when working with heavy machinery and applications, where visibility is required. Used in the mining, oil & gas, automotive, assembly, packaging & warehousing, both indoor and outdoor industries.

EN 388:2016
+A1:2018



4X43FP



Special Instructions

Although the manufacturer has examined these gloves under the system for ensuring quality of production by means of monitoring and inspection, we recommend that all gloves should be thoroughly inspected before use to ensure no damage is present. None of the materials or processes used in the manufacture of these products are known to be harmful to the wearer. The gloves and information contained herein are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. Actual conditions of use cannot be directly simulated in a test environment, therefore it is the responsibility of the user and not the manufacturer or supplier to determine the suitability for intended use.

Compliance & Conformity

Approved to:
EN ISO 21420:2020 General requirements and test method for protective gloves – Dexterity level 5.
BS EN 388:2016 + A1.2018 - Mechanical risks (4,X,4,3,F,P).
REACH (Registration, Evaluation, Authorization, and Restriction of Chemicals in manufactured products) compliant to European Regulation (EC) No. 1907/2006.

Specifications

Style: Touch screen compatible high visibility, reusable, three-dimensional impact glove, with reinforced thumb crotch, Nitrile palm coating and TPR (Thermo Plastic Rubber) finger and back of hand protection
Liner: Black and white HDPE combined with steel fiber and Elastane
Palm: Black Microfiber with EVA padding
Back: Knuckle region, with TPR (Thermo Plastic Rubber)
Cuff: Adjustable Hook and Loop closure
Mass: 285g per glove (size 10)

Packaging, Storage & Obsolescence

Packaged as a pair in a retail header card.
Store gloves in the original packaging in a cool dry place and out of direct sunlight and UV light.




Cleaning & Maintenance

Dromex® mechanical gloves are not suitable for dry cleaning or laundering. Do not use bleach, oxidising ingredients or fabric softeners.

It is recommended to wipe soiled and dirty gloves with a clean damp cloth and allow gloves to air dry.

The gloves may then be decontaminated as indicated below:



In order to maximise the glove life cycle, we recommend the mildest possible cleaning conditions in terms of temperature, chemicals and cycle duration.

Due to a wide variety of possible constructions and combinations with other materials we recommend to always consult your professional cleaning service to determine the best suitable cleaning method.

Disposal

All industrial waste should be disposed of correctly according to local regulations and good disposal practice. Gloves should be disposed of considering the hazardous substances they were used for. Please consider recycling.


Sizes Available

Code	Size	Palm Length
MIG-F6-8	S/M	105mm (±2mm)
MIG-F6-9	M/L	110mm (±2mm)
MIG-F6-10	L/XL	115mm (±2mm)
MIG-F6-11	XL/2XL	120mm (±2mm)
MIG-F6-12	2XL/3XL	125mm (±2mm)

** As per the EN420 standard, actual measurement of gloves are determined by the manufacturer, taking into account the behaviour of the glove material, its thickness (such as leather gloves, PVC gloves etc), elasticity and the intended use.*

** Sizing charts only serve as a guide. Sizes and measurements are for reference only. In order to make an informed decision, always try on the gloves as each glove features a unique construction to accommodate a wearer's preferences.*

Measurement Guide



Materials



1. EVA and microfiber palm
2. Reinforced thumb crotch
3. Hook and Loop closure

Dromex: 30 Umganu Road, Flanders, Blackburn
Cornubia Ridge Logistics Park, KwaZulu-Natal, 4319, South Africa
T. +27(31) 713 1960 E. info@dromex.co.za www.dromex.co.za

Disclaimer

Dromex reserves the right to make changes without further notice to any products herein to improve function, design or reliability and validity. Dromex does not assume any liability arising out of the application or use of any product described herein. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner.

Latest update: 12/07/2024